

00006308

## MATERIAL SAFETY DATA SHEET

Page 1

K-G SPRAY-PAK INC.  
8001 KEELE STREET, P.O BOX 89  
CONCORD; L4K 1Y8; ONTARIO  
CANADA 905-669-9855

PRODUCT: 1808-02-001 WHITE LITHIUM GREASE 05-091 400G



## Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER ..... K-G SPRAY-PAK INC.  
8001 KEELE STREET P.O. BOX 89  
ONTARIO  
CANADA  
L4K 1Y8  
CANUTEC EMERGENCY #:1-613-996-6666(24HR)

PRODUCT NAME..... 1808-02-001 WHITE LITHIUM GREASE 05-091 400G  
CHEMICAL FAMILY..... LUBRICATING GREASE.  
MOLECULAR WEIGHT..... NOT APPLICABLE.  
CHEMICAL FORMULA..... MIXTURE.  
TRADE NAMES & SYNONYMS..... 1808-02-001 WHITE LITHIUM GREASE 05-091 400G  
PRODUCT USES..... LUBRICATING GREASE.  
FORMULA/LAB BOOK #..... F 02-270.

## Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50, Route, Species	LC/50 Route, Species
PETROLEUM DISTILLATES	5-10	1200 mg/m <sup>3</sup>	64741-65-7	7600 mg/kg ORAL-RAT	5.9 mg/l (4Hr) INHAL-RAT
SOLVENT NAPHTHA, LIGHT ALIPHATIC (HEPTANE)	30-60	400 ppm	64742-89-8	>2000 mg/kg ORAL - RAT	>20 mg/l (4 HR) INHAL - RAT
ISOBUTANE	5-10	1000 ppm	75-28-5	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT
PROPANE	10-20	1000 ppm	74-98-6	>5000 mg/kg DERMAL-RABBITS	NOT AVAILABLE

## Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:  
INGESTION..... MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.  
INHALATION..... INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.

EYE CONTACT..... VAPORS MAY IRRITATE.  
SKIN ABSORPTION..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.  
SKIN CONTACT..... MAY CAUSE IRRITATION.  
EFFECTS OF ACUTE EXPOSURE..... DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.  
EFFECTS OF CHRONIC EXPOSURE..... SOLVENTS MAY CAUSE DEFATTING DERMATITIS

EXPOSURE LIMIT OF MATERIAL..... SEE SECTION 2.

## Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE .... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

## Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C)..... 245 - 365.  
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

FLAMMABILITY..... EXTREMELY FLAMMABLE.  
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.  
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
UPPER FLAMMABLE LIMIT..... 9.5.  
(% BY VOLUME)

00006308

## MATERIAL SAFETY DATA SHEET

Page 2

PRODUCT: 1808-02-001 WHITE LITHIUM GREASE 05-091 400G

## Section 05: FIRE FIGHTING MEASURES

LOWER FLAMMABLE LIMIT..... 1.  
(% BY VOLUME)  
EXPLOSION DATA  
SENSITIVITY TO STATIC DISCHARGE.. NOT APPLICABLE.  
SENSITIVITY TO IMPACT..... NOT APPLICABLE.  
HAZARDOUS COMBUSTION  
PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
AEROSOL FLAME PROJECTION  
CLASSIFIED AS:..... >15cm BUT <100cm.  
FLASHBACK..... NONE.  
FLASH POINT(°C),TAG CLOSED-CUP ..... LOWEST KNOWN VALUE IS HEPTANE @ -7°C.  
(CONCENTRATE)

## Section 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

## Section 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.  
ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).  
HANDLING PROCEDURES AND ..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.  
EQUIPMENT  
SYNERGISTIC MATERIALS..... NONE KNOWN.

## Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

GLOVES/ TYPE..... WEAR CHEMICAL RESISTANT GLOVES.  
RESPIRATORY/TYPE..... IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.  
EYE/TYPE..... SAFETY GLASSES.  
FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.  
OTHER/TYPE..... NOT REQUIRED.

## Section 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... AEROSOL.  
APPEARANCE..... OFF WHITE.  
ODOR..... HYDROCARBON.  
ODOR THRESHOLD..... NOT AVAILABLE.  
VAPOUR PRESSURE(PSIG)-AEROSOL..... 65-75.  
@ 20 C  
BOILING POINT (°C)(CONC)..... 90-205.  
EVAPORATION RATE..... LESS THAN 1.  
n-BUTYL ACETATE = 1  
VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.  
(BY WEIGHT)  
SOLUBILITY IN WATER g/L (20°C)..... NEGLIGIBLE.  
pH..... NOT APPLICABLE.  
SPECIFIC GRAVITY (LIQUID)..... 0.74-0.78.  
COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.  
FREEZING POINT: (°C)..... NOT AVAILABLE.  
AEROSOL PERCENT VOLATILE..... 66-67.  
(BY WEIGHT).  
SPECIFIC GRAVITY (AEROSOL)..... 0.65-0.69.  
AEROSOL PERCENT VOC (w/w)..... 66-67.

## Section 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF  
DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
CHEMICAL STABILITY:  
YES..... UNDER NORMAL CONDITIONS.  
NO, WHICH CONDITIONS?..... NOT APPLICABLE.  
COMPATIBILITY WITH OTHER  
SUBSTANCES:  
NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.

00006308

## MATERIAL SAFETY DATA SHEET

Page 3

PRODUCT: 1808-02-001 WHITE LITHIUM GREASE 05-091 400G

## Section 10: STABILITY AND REACTIVITY

REACTIVITY CONDITIONS?..... NOT APPLICABLE.  
HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.

## Section 11: TOXICOLOGICAL INFORMATION

REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.  
IRRITANCY OF MATERIAL..... SKIN/EYE IRRITANT.  
SENSITIZING CAPABILITY OF MATERIAL..... UNKNOWN.  
CARCINOGENICITY OF MATERIAL..... THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC, (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS).  
TERATOGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.  
MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

## Section 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... NOT AVAILABLE.

## Section 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

## Section 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1).  
D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.

## Section 15: REGULATORY INFORMATION

## CANADIAN REGULATIONS:

WHMIS CLASSIFICATION..... A,B5,D2B.  
CNFC SECTION 3.3.5..... LEVEL 2.  
CEPA (Canadian Environmental Protection ... Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

## U.S. REGULATIONS:

HMIS RATING HEALTH..... 2 MODERATE HAZARD.  
HMIS RATING FLAMMABILITY..... 4 SEVERE HAZARD.  
HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.  
HMIS RATING PERSONAL PROTECTION.. B.  
NFPA CODE 30B..... LEVEL 2.  
SARA 313 INFORMATION:..... THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.  
CALIFORNIA PROPOSITION 65:..... NAME: . N/A. CHEMICAL  
THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: . WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.  
TSCA (Toxic Substances Control Act)..... CHEMICAL NAME: . N/A.  
ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.  
VOC (w/w%)..... 66-67.

00006308

MATERIAL SAFETY DATA SHEET

PRODUCT: 1808-02-001 WHITE LITHIUM GREASE 05-091 400G

Section 16: OTHER INFORMATION

NOTICE FROM K-G SPRAY- PAK INC ..... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G SPRAY PAK INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G SPRAY PAK INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

PREPARED BY..... Regulatory Affairs  
PREPARATION DATE ..... Feb13/13