

	44-451	HARD HAT W/RATCHET TYPE 1 YELLOW 14LR79622
	44-500	GELPACT VIBRATION REDUCTION TAPE 7/8X44 1012066 EA.
	44-501	GLOVE VIBRATION REDUCTION "L" L -XXL 1012052
	44-502	GLOVE VIBRATION REDUCTION "R" L-XXL 1012053
	44-503	KNEE PADS HARD SHELL 1011156 PR.
	44-600	RED STALLION DELUXE FIRST AID KIT
	44-601	BANDAIDS 100/PKG (FA03-026)

Safety Glasses Lens Color Guide

This handy guide will help you understand the functionality of task-specific lenses and determine what type of safety glasses are best for your application and environment. A good rule of thumb is to choose a lens based on color opposites. For example, blue is opposite of yellow and red is opposite of green. So, red lenses absorb green light and yellow lenses absorb blue/ultraviolet light and vice versa. Need more information? Call Technical Support at 1-800-356-2501.



Clear Safety Glasses

For general indoor applications where impact protection is required.



Gray Safety Glasses

For outdoor applications where light and glare can cause eye strain and fatigue. Provides good color recognition.



Indoor/Outdoor Safety Glasses

A clear lens with a slight mirror coating serves the same purpose as gray lens, yet allows more visible light through the lens for indoor/outdoor use. Reduces glare from artificial light.



Gold, Blue & Silver Mirror Safety Glasses

Use outdoor where sunlight and glare cause eye strain and fatigue. "Mirror" coating reflects light, reducing the amount of light that passes through the lens.



Dark Green Safety Glasses

General-purpose protection from glare and UV radiation.



Brown/Espresso Safety Glasses

For outdoor applications where sunlight and glare cause eye strain and fatigue. Meets color traffic signal recognition requirements.



Vermilion Safety Glasses

Enhances contrast while reducing all color equally for optimum color recognition. Ideal for indoor inspection.



Amber Safety Glasses

Blocks the blue portion of the visible light spectrum, creating maximum contrast enhancement, particularly in low light.



SCT Safety Glasses

uvex's Spectrum Control Technology lens. Designed to absorb select wavelengths of radiant energy (light) into the polycarbonate lens.



Filter Shades Safety Glasses

Protect against ultraviolet and infrared radiation generated when working with molten metal, and in welding, cutting, soldering and brazing operations.



Shades 1.5-3

Torch soldering.



Shades 3-4

Torch brazing.



Shades 3-6

Cutting.



Shades 4-8

Gas welding.



Shades 10-14

Electric arc welding.

NOTES:

RED STALLION SAFETY & FIRST AID ORDER FORM

CUSTOMER NAME: _____

ORDER	RS PART#	DESCRIPTION
	44-200	UTILITY-DUST MASK 15ND10 50/BOX
	44-201	N95 MICRO FILTER AD2N95 20/BOX
	44-202	N95 MICRO FILTER W/VALVE AD2N95V 12/BOX
	44-205	RESPIRATOR BLUE SILICONE 15R100M MEDIUM
	44-206	RESPIRATOR BLUE SILICONE 15R100L LARGE
	44-210	CARTRIDGES 158TLPOB100 PARTICULATES PURPLE EA.
	44-211	CARTRIDGES 158T20B100 ORGANIC VAPOURS BLACK EA.
	44-212	DISKIT FILTER 15FDISKITN100 2/PKG
	44-215	RESPIRATOR PRE-FILTER 16/BOX 15F158DN5
	44-216	RESPIRATOR RETAINER RING 6/PKG 15F14881
	44-220	Hygienic Wipes Pers.SAFETY Equip.#31 100/DISPENSER
	44-300	SENTINEL CLEAR SAFETY GLASSES 90801
	44-301	SENTINEL GREY SAFETY GLASSES 90802
	44-302	SENTINEL YELLOW SAFETY GLASSES 90803
	44-304	SENTINEL INDOOR/OUTDOOR MIRROR 90805
	44-308	SENTINEL BLUE SAFETY GLASSES 90809
	44-313	CATALINA BROWN (Like Oakleys) 92607
	44-317	GUARD DOG BONES CLEAR GLASSES AVP COATED
	44-318	GUARD DOG BONES GREEN 5.0 AVP COATED
	44-319	GUARD DOG LEASH BLK M-L
	44-320	LEGEND CHEMICAL SPLASH GOGGLE CLEAR 27200
	44-324	MATRIX CROWN ONLY RATCHET ADJ. 482000
	44-325	MATRIX VISOR CLEAR 71/2X151/2 487400
	44-330	EYE WASH STATION
	44-331	EYE WASH SOLUTION 32 oz.(1L)
	44-400	EARPLUGS ThermaSoft30 DISPOSABLE 200PRS/BOX 769290
	44-401	EARMUFFS ZEPHYR 772306 NRR23 CSA EA.
	44-402	EARPLUGS CONTRA-BAND W/GEL PODS NRR22 2299 EA.
	44-403	CONTRA-BAND REPL. GEL PODS 2299-1 PR.
	44-450	BUMP CAP #67 YELLOW EA.

ERGONOMICS – HAND PROTECTION



Gelpact Ultralight Mechanic's Glove

Full-finger version of our popular Material Handler's Glove. Design assures maximum dexterity, fingertip protection and shock/impact and contact stress protection.

- Supple clarino over a shock absorbing Gelpact pad protects hand from edges and points.
- Ribbed Spandex material allows unimpeded flexibility.
- Lightweight construction keeps hands cool.
- Hook and loop closure at wrist keeps debris out of glove.
- Plush fabric thumb and forefinger provide a soft absorber.
- Color: Black.
- Sold as pairs only.
- Sizes S - XXL.

WELDING



Welding Goggles

235345 - Wide Vision - Stationary Front wide vision cover flex welder's goggle with soft vinyl frame complete with 2" x 4 1/4" welding plate and cover lens. Six ventilation ports provide maximum ventilation. Will fit over prescription eyewear. Standard with elastic adjustable headband. Meets ANSI Z87.1 specifications.

FIRST AID SUPPLIES (when all else fails!)

RS DELUXE FIRST AID KIT



EYE WASH STATION



EYE WASH SOLUTION



ERGONOMICS – VIBRATION REDUCTION



GripStrip handle wrap features textured gripping surface and a full length **Gelpact** (TM) pad. Provides shock absorbing capabilities and enhanced tool control.

- Wraps easily around tool handles.
- Just trim with scissors for a custom fit.
- Comfortable gripping surface.
- Provides protection from shock impact.
- Full length Gelpact pad.



Padded Knee Shield

- Economical product and design.
- Foam padding provides impact and abrasion protection.
- Beige, non-slipping or marking.
- Easy-on, easy-off straps.
- 12 pair per case.

ERGONOMICS – HAND PROTECTION



Gelpact BODY GLOVE Heavy Duty Mechanics/Impact Glove

Tradewinds™ 100% open cell breathable neoprene construction allows for snug, secure fit without excessive heat buildup. Smooth, non-irritating material is comfortable in hot or humid weather, or under clothing.

- Kevlar/nylon blend, cut and abrasion resistant grip surface on palm and fingers offers extra protection for the hands.
- Molded hard-shell polymer knuckle cage helps protect vulnerable top of the hand from impact, cut and abrasion injuries.
- Gelpact® palm padding features clinically proven shock and impact force reduction over sensitive areas of the palm.
- Elastic gathered cuff extension prevents debris entry.
- Small - XXLarge, pairs only.

HYGIENIC CLEANING WIPES FOR P.P.E.



#31 Hygienic Cleaning Wipes are a safe and effective way to keep all of your Personal Protective Equipment clean. Safety and effective for cleaning respirators, hard hat suspensions, and other personal protective equipment. Also good for cleaning phones and keyboards. 5" x 8" Towelette, Alcohol Free, 100/dispenser.

#70 C-Clear Lens Cleaning Towelettes are pre-moistened with C-Clear anti-fog and anti-static lens cleaning solution and will cut through grease and oils leaving lenses clean and streak free. Good for use on plastic, polycarbonate and glass lenses including prescription glasses, and is safe and effective with all lens coatings including Anti-Reflective coating. Contains no silicone. May also be used on face shields, goggles, full-face respirator lens and LCD Screens. 5" x 8" Towelette, 100/dispenser.



ERGONOMICS – VIBRATION REDUCTION



Economical way to reduce vibration inside mechanical injury or liquid-proof gloves. Ideal for workers who need protection under regular gloves some of the time. Cool breathable spandex for a snug fit.


- Exclusive Molded Gelfom® pad protection.
- Breathable Spandex.
- Tailored cut.
- Serged seams.
- Half finger style offers increased dexterity.
- Color: Black and White.
- Two sizes fit all: Left or Right in XS - M and L - XXL.

Cartridges & Filters

U. S. Safety supplies a complete range of cartridges so you can choose the appropriate protection for your application.


Our "Saf-Twist" design quickly attaches to any U. S. Safety half-mask or full face air-purifying respirator facepiece. The offset connector design improves visibility and allows faceshields or welding helmets to be worn without interference. Interchangeable cartridge/filter configurations allow you to easily and inexpensively re-configure your protection for use in different applications, simplifying inventories.

Cartridges are uniquely designed with a space plenum between the filtering material and the inhalation port. Inhaled air is evenly distributed across the filter which lowers breathing resistance and extends cartridge life.



U.S.SAFETY's cartridges are uniquely designed with a space plenum between the filtering material and the inhalation port. Inhaled air is evenly distributed across the filter which lowers breathing resistance and extends cartridge life.

Diskit[®] Filter System




Ultra-light, Construction - Only 1/4" thick, the filter weighs just .7 oz, yet offers a stable, rugged frame.

Versatile flexibility - The Diskit Filter attaches to any U. S. Safety gas/vapor cartridge with the Diskit Adapter.

Unique Space Plenums - (Patented Design) Allows the filter media to evenly "load" to the edge, resulting in longer life and lower breathing resistance.

6 Protection Levels - Provides a choice of NIOSH approved protection to best fit your application. N99, N100, R95, R100, P100 & P100-OV.

Patented Sparkshield - Protects the filter from sparks or welding splatter. Rugged design slips on & off easily, is reusable, and results in longer filter life.



Offset Connector - Improves overall visibility for the wearer by more than 3/4".

Rigid, Internal Frame - Allows handling without damage or crushing. No fumbling when installing and no chance of damaging the filter media.

RESPIRATORY PROTECTION – CART. STYLE



The Premier...Comfort-Air Series 100

Half-Mask Respirator is molded from pure silicone material with no extra additives. The Series 100 mask is the most comfortable, quickest to clean up, and the durability provides a long service life. Just 6 parts make up any U. S. Safety half-mask respirator! Identical replacement components are used on any of our half-mask respirators, and the same cartridges fit both half mask and full-face respirators. This simplicity in design eases maintenance and cleaning, and reduces inventory.



Low Maintenance/Limited Use...the Comfort-Ease Series 400 priced to be a disposable, but can easily be used up to 30 times. U. S. Safety Comfort-Air and Comfort-Ease Respirators fit over 99% of wearers (based on end-user fit test data). And with 2 small sizes you can now reliably fit the varying features of smaller faces seen in today's work environment.

Swivel Retainers-

Generous 70° swivel allows natural fit without pressure points. Special clips hold strap, eliminating annoying strap tangles.

Textured "no-slip" Face Seal and large, flexible Rolled Sealing Edge

-Provides exceptional comfort and superior fit.

Multi-Position Cartridge Attachment-

#1 position is "sweptback" for maximum visibility, #2 & #3 change the cartridge positions for use under various PPE such as welding helmets and faceshields.

Extra Large Inhalation Valves

- Lower inhalation resistance and contributes to easier breathing.

Deep Chin Cup

- Gives a more secure universal fit.

Unique Corrugated Exhalation Valve Diaphragm

- Only available on U.S.SAFETY's half-mask, this large diameter valve opens quickly and allows maximum exhalation of hot, humid air from the mask. Heat build-up is reduced and wearer comfort is increased.

Unique Low Fitting Mask

- Provides ample room for eyewear.

Low "Dead-Air" Space

- Improves worker comfort from less re-breathing of exhaled air.



RESPIRATORY PROTECTION-DISP. RESP.

NIOSH Approved Micro-filter Protection Against Dusts, Fumes, Micro-organisms & Non-Oil Containing Mists

AD2N95, AD2N95V & AD2N95OV - Strong, double-shell construction retains its shape through multiple uses. Won't absorb moisture, minimizing breathing resistance. A soft, non-irritating inner facepiece, adjustable nosepiece with foam seal, and heavy-duty (latex free) headstraps combine to create a mask with superb comfort characteristics.

AD2N95OV - Incorporates a layer of activated charcoal that filters out nuisance level (below PEL) of organic vapors and some acid gases. Not available with a valve.



AD2N95

Soft non-irritating facepieces - create a mask with superb comfort characteristics.



AD2N95OV

Valved and Non-Valved models are available.



Adjustable nosepiece - with foam seal.

Adjustable headstraps - Heavy-duty (latex free).

Strong, double shell construction - Retains its shape through multiple uses.

Utility Mask

Offers relief from non-toxic dusts and pollens only.



The 15ND10 is unlike any other dust mask because of its unique design and features. It is lightweight, easy to breathe through, fits easily and comfortably, inexpensive disposable. Less than 1/3 ounce and doesn't collapse when it becomes wet.

Not NIOSH Approved.

HEARING PROTECTION – APACHE



Tasco Apache™ Ear Muff Features:

- Ultra light weight of only 5.9 ounces
- Soft-Seal™ ear cup cushions for excellent comfort
- Low band force
- "Positive Stop" ear cup positioning
- Dielectric - Rated MR Safe
- Proudly Made in the U.S.A.
- NRR 24

HEAD PROTECTION



#67 BUMP CAP

- Ideal for protecting head from lacerations, minor bumps and bruises in areas that do not require certified safety helmets.
- Molded from high density polyethylene.
- Perforated sides allow cross ventilation for maximum air circulation.
- Cushioned brow pad absorbs moisture.
- Brow pad is removable, washable and replaceable.
- 4-point injection molded suspension.
- "Pin-Lock" sizing adjusts from head sizes 6 1/2 - 7 3/4.
- Designed for use in industries such as automotive, pest control, meatpacking, food processing and assembly facilities.
- Caution: Bump caps are not designed to protect against impact from falling or glancing objects. Does not meet CSA or ANSI requirements.
- Made In America.

LIBERTY™ TYPE 1

W/RATCHET OR SLIDE-LOCK

- Certified to CSA Z94.1-05 standard as Type 1 Class E. Meets ANSI Type 1 crown impact & penetration protection.
- Reverse Headband Certified.
- Molded from lightweight, high density polyethylene.
- Features a short peak and trim profile & functional rain trough.
- Accessory slots accommodate a wide variety of eye, face and hearing products.
- Accommodates chinstrap.
- Goggle retaining slots on suspension.
- Brow pad is removable, washable and replaceable.
- Cushioned brow pad absorbs moisture.
- Comfortable, 4-point woven nylon suspension.
- Soft Band material conforms to wearer's head for a comfortable fit and allows for easier size adjustment.
- Made in America.
- Hat Weight: Standard Suspension 12.38 oz./ 351 grams, Ratchet 13.26 oz./ 376 grams.



FACE PROTECTION – MATRIX II




Matrix II is an ideal alternative for economical, yet durable protection. The crown is molded from polycarbonate; features a snap-lock suspension that allows easy adjustment to a wide range of head sizes; cushioned with an absorptive sponge-type headband that provides a comfortable fit. An optional ratchet suspension is available. Meets ANSI Z87.1 specifications.

HEARING PROTECTION – THERMA-SOFT 30



Manufactured from dependable PVC foam, these Therma-Soft 30™ earplugs are much softer than the competition. Slower "recovery time" allows for deeper insertion and a more secure fit. Improved foam responds to body heat by getting softer with use. Plugs are bright blue and available with or without cord. Packaged in poly bags 200 pair per dispenser uncorded, 100 pair corded. 10 dispensers per case. NRR=30 dB, CSA Class AL

HEARING PROTECTION – CONTRA-BAND



Contra-Band™ inner-aural hearing protector. The gel like pods are super-soft and ultra comfortable. This band is worn under the chin and features molded finger grips. Packaged 10 per box, 10 boxes per case. NRR=22dB, CSA Class BL

EYE PROTECTION - ASTON



Molded from 100% polycarbonate material. Featuring wide vision wrap-around styling, a contoured protective brow-guard, and molded-in comfort nose bridge. Vented side shields offer side-directional protection to the eyes without pressure points. Optional AVP coating available. Meets ANSI Z87.1 specifications.

EYE PROTECTION – PEEPER CHEATERS



Ultra-light weight nylon frame with soft PVC nose pads. Wrap-around sport styling, designed for men and women features eight base spherical lenses providing excellent side protection. Ratcheting/Adjustable temples lock into place. Impact resistant Polycarbonate lenses provide 99.9% UV protection. A scratch resistant coating is applied to prolong the life of the lenses. Available in three powers (+1.50, +2.00, +2.50). Meets ANSI Z87.1 specifications.

EYE PROTECTION – LEGEND

Combining style and innovative design, the Legend Goggle's exclusive integrated frame design incorporates a cushion-soft, smoke vinyl goggle body with a semi-rigid outer frame front for improved goggle stability. The frame distributes a comfortable, even fit against the face, securely holds the lens, & allows easy lens replacement. A unique venting system permits a constant flow of air over the lens to prevent fogging. Oversized spherical polycarbonate lens provides unobstructed viewing and permits use with most prescription eyewear. For added protection, Legend component parts are molded of 99% UV inhibitive materials to minimize the effects of harmful UV rays. Legend protects against both hazardous impact and liquid splash. Meets ANSI Z87.1 specifications.



EYE PROTECTION – BLAZE

IR Green Shade 3.0 #91030

Proven wrap around styling offers maximum coverage at brow and sides. Molded-in universal nose bridge design ensures a comfortable fit. Lightweight nylon frame. Adjustable temples that lock into place. Impact resistant polycarbonate lenses provide 99.9% UV protection. A scratch resistant coating prolongs the life of the lens. Optional AVP coating available. Meets ANSI Z87.1 specifications.



RED STALLION™

P.P.E. / FIRST AID BROCHURE

EYE PROTECTION - SENTINEL



Super lightweight wraparound design for men and women, combines a sleek appearance with rugged durability, features rubberized temple tips and integrated nosepiece. Fits comfortably with half mask respirators. Impact resistant polycarbonate lens provides 99.9% UV protection and scratch resistant coating, optional anti-fog lenses are available. Meets ANSI Z87.1 specifications.

EYE PROTECTION - CATALINA



The full wrap design of the Catalina provides superb optical performance and increased protection. Attractive, sturdy, and multi-functional, the light-weight nylon frame is shaped to match the contour of the head for a custom fit that is both secure and comfortable. The polycarbonate lenses provide 99.9% UV protection and distortion free comfort and clarity. An abrasion resistant coating is provided to prolong the life of the lens. Meets ANSI Z87.1 Specifications

EYE PROTECTION GUARD DOGS



Bones - Lightweight, stylish safety eyewear that fits and protects. Extreme visibility, comfort, style, and adjustability. Bayonet style, face hugging ratchet temples for a more comfortable fit. Replaceable polycarbonate anti-fog/hard coated lens provides 99.9% UV protection. Wide viewing area with no side distortion. Soft PVC nosepiece fits snugly and won't slip. Meets ANSI Z87.1 specifications.

Vented Purebred - Premium, lightweight panoramic fitting nylon frame with vented elemental deflectors for superior protection and hours of comfort in extreme working conditions. The wrap-around, high impact resistant, polycarbonate lens provides 99.9% UV protection, wide viewing area with no side distortion. All vented purebred lenses are anti-fog/hard coated and easily replaceable. Slimline bayonet style ratchet temples assure close fit and comfort for extreme conditions. An exclusive leash is included to ensure a secure fit. Meets ANSI Z87.1 specifications.

High Heat - Incorporates the features of the Vented Purebred model utilizing a special silicone foam with a flame resistant value HF-1/V-O using test method UL-94. Meets ANSI Z87.1 specifications.